



UVC measuring head type 0.1

UV-C- sensitivity

Long UV radiation (above 323 nm) makes people tan and has positive effects on the human immune system. Shorter UV-radiation in contrast may cause irreversible damage and is listed in a recommendation by CIE (Commission Internationale de l'Eclairage) which summarizes all action spectra that may cause damage to the human skin.


This recommendation is standardized in German DIN 5050.

A popular example is the UVI sunburn index.

UV-C-measuring-head type 0.1

The measuring head independently determines UV-C-radiation (from 220nm -280nm).

Measuring results are allowing immediate conclusions about medically and biologically relevant connections within this band of radiation. The measuring head is used in medicine, biological research, weather information and forecast systems, in climate research and for public information in general. The measuring head type 0.1 has a weatherproof aluminum housing. The dome is made of quartz glass. The values are cosine corrected.




Technical specifications:

measuring range UV-C	0 - ca. 2000 mW/m ²
spectr. sensitivity UV-C	220nm - 280nm
max. of spectr. sensitivity	265nm
sensor system	SiC interf. filter
UV-C	-30°C - +60°C -22 - +140°F
working temperature	0V - 5V/ 4 - 20 mA(adjustable)
signaloutput	0 Ohm .. 100 Ohm
RL	+10V - +24V / 750µA
power	< 1 s
turn on time	< 1 s
turn off time	2 screws M4 in the bottom
installation	from the bottom
connector	PTFE
diffusor	quartz
housing-dome	error f2 < 1.5%
direction char.of rad.	< 1%
linearity	< 10%
absolute error	0.1%/K
coeff. of temperature	400g 14 oz
weight	

Specifications are subject to change without prior notice.

Dimensions:



Indium Sensor
Virchowstr. 7
15366 Neuenhagen
Germany
Tel: +49(0)3342 80239
Fax: +49(0)3342 207886