



UV- B measuring head type 1B.15

UV-B- sensitivity

Long UV radiation (above 323 nm) makes people tan and has positive effects on the human immune system. Shorter UV-radiation in contrast may cause irreversible damage and is listed in a recommendation by CIE (Commission Internationale de l'Eclairage) which summarizes all action spectra that may cause damage to the human skin.


This recommendation is standardized in German DIN 5050.

A popular example is the UVI sunburn index.

UV-B measuring head type 1B.15

The measuring head independently determines UV-B-radiation from 280nm - 320nm.


Measuring results are allowing immediate conclusions about medically and biologically relevant connections within this band of radiation. The measuring head is used in medicine, biological research, weather information and forecast systems, in climate research and for public information in general. The measuring head type 1B.15 has an anodized aluminum housing suitable for indoor use. The window is made of PTFE. The values are cosine corrected.



Technical specifications:

measuring range	UV-B	0 - ca. 5 W/m ²
spectr. sensitivity	UV-B	280nm - 320nm
max. spectr. sensitivity		315nm
sensor system		SiC interf. filter
working temperature		-20°C - +60°C -4 - +140°F
signal output		0V - 2V or otr. (as agreed)
power		+5V - +15V / <750µA
time to switch on		< 1 s
time to switch off		< 1 s
installation		2 screws M4 in the bottom
connector		sideward
window/diffusor		PTFE
direction char.of rad.		error f2 < 3%
linearity		< 1%
absolute error		< 10%
weight		50g 2 oz

Dimensions:



Specifications are subject to change without notice.

Indium Sensor
Virchowstr. 7
15366 Neuenhagen
Germany
Tel: +49(0)3342 80239
Fax: +49(0)3342 207886